arXiv:nucl-th/0408053v1 21 Aug 2004

ON PROBABILITIES OF E2 TRANSITIONS BETWEEN POSITIVE-PARITY STATES IN ^{160}Dy NUCLEUS

J. Adam[1,2], V.P. Garistov[1,3], M. Honusek[2], J. Dobes[2], I. Zvolski[2],
J. Mrazek[2], A.A. Solnyshkin[1]
[1]Joint Institute for Nuclear Research, Dubna, Russia
[2]Institute of Nuclear Physics, Czech Academy of Sciences, Řež
[3]Institute for Nuclear Research and Nuclear Energy, Sofia, Bulgaria

February 8, 2008

Abstract

Reduced probabilities B(E2) of γ transitions between states of positive parity in the ^{160}Dy nucleus are calculated within the framework of the interacting boson model (IBM-1). The results are compared with the experimental data.

Thorough and comprehensive investigations of the $^{160}Er \rightarrow^{160m,g} Ho \rightarrow^{160} Dy$ decay have yielded new extensive experimental data on excited states and γ transitions between them in the ^{160}Dy nucleus [1]. In particular, observation of over 100 new levels and over 500 new γ transitions is reported and about 150 multipolarities are said to be established for the first time. The $^{160m,g}Ho \rightarrow^{160} Dy$ decay scheme proposed by the authors includes practically all known and newly discovered γ transitions except few of them whose total intensity is 0.9% of decays. In [2] we made an attempt to describe theoretically energy positions of most excited states of positive parity and to reproduce energies of levels belonging to ground rotational, gamma, and other rotational bands manifesting themselves in this nucleus.

In this paper, using our data [1] on intensities and energies of γ transitions de-exciting positive-parity levels with known $T_{1/2}$ [3], we found experimental values of reduced probabilities $B(E2)$ by the formula

$$B(E2)_\gamma = \frac{ln2}{T_{1/2}} \frac{I_\gamma 10^2}{\sum I_{tot}\ 1.23 E_\gamma^5} \ , \tag{1}$$

where $\sum I_{tot}$ is the sum of total intensities of al γ transitions de-exciting a particular level. For γ transitions presumably exciting but not yet observed experimentally only limiting $B(E2)$ values were found from the upper bounds of their intensities experimentally determined by us and the energies known from the positions of their corresponding levels.

The thus obtained probabilities $B(E2)$ are compared with our calculations within the interacting boson model ($IBM-1$) determining the transition operator $T(E2)$ as [4]:

$$T(E2) = \alpha(d^\dagger s + s^\dagger \widetilde{d})^{(2)} + \frac{\beta}{\sqrt{5}}(d^\dagger \widetilde{d})^{(2)} \ . \tag{2}$$

The absolute values $B(E2, 2_2^+ \rightarrow 0_1^+) = 4.43(34)$ and $B(E2, 2_1^+ \rightarrow 0_1^+) = 192.6(88)[W.u.]$ measured by us were used in the calculations to determine the parameters $\alpha = 1.914$ and $\beta = 1.515$.

The results of comparing experimental and calculated $B(E2)$ for each of the levels with the known $T_{1/2}$ are presented in Tables 1.0–1.6, where columns 2 show characteristics of the levels under consideration, including the sum of intensities of their complete de-excitation, and columns 3, 4, 5 show characteristics of particular γ transitions connecting them with the corresponding final states whose characteristics are given in columns 6 and 7. It is evident from Tables 1.0–1.6 (see columns 8 and 9) that calculations are in a good agreement with the experimental values.

In Tables 2.0–2.19 experimental $B(E2)$ are compared with theoretical values for particular excited states whose half-live times $T_{1/2}$ are unknown but which have one or a few γ transitions with the known multipolarity $E2$. Then experimental reduced probabilities $B(E2)$ of γ transitions from these levels were calculated by using the data [1] and the relation

$$B(E2)_\gamma = B(E2)_0 \frac{I_\gamma E_0^5}{I_0 \ E_\gamma^5} \ , \tag{3}$$

Here the lower index "o" marks the theoretical value of $B(E2)_0$ calculated for each level using the $IBM-1$. Further, taking this theoretical value of $B(E2)_0$ as experimental value and using (3) one can estimate other competing γ transitions for the experimentally known energies E_γ and intensities I_γ of the corresponding γ transition of $E2$ type. In the tables so calculated values of $B(E2)$ are marked with the symbol " $\equiv$ ". There is rather good agreement between theory and experiment for a majority of γ transitions with the known transition type and multipolarity. The γ transitions with considerable disagreement between theoretical and experimental $B(E2)$ values make it only possible to conclude that these transitions are not of $E2$ type, while those with only slight disagreement between these values allow an assumption that these transitions might be of $E2$ type. However, it is only after the experiment that the final conclusions can be drawn.

The investigation was supported by the RFBR.

References

[1] Adam J., Vaganov Yu.A., Vagner V., Volnykh V.P., Zvolska V., Zvolski J., Ibraheem Y.S, Islamov T.A., Kalinnikov V.G., Kracik B., Lebedev N.A., Novgorodov A.F., Solnyshkin A.A., Stegailov V.I., Sereeter Zh., Fisher M., Caloun P. BRAS, Phys. 2002, V. 66, N. 10, P. 1384

[2] Adam J., Garistov V. P., Honusek M., Dobes J., Zvolski J., Mrazek J., Solnyshkin A.A., nucl-th/0408028 (to be published)

[3] Reich C.W. Nucl. Data Sheets. 1996. V. 78. P. 547.

[4] Arima A., Iachello F. Ann. Phys. N.Y. 1976. V. 99. P. 253 and 1978. V. 111. P. 201.

Table 1.0

$E_{(lev)i}$ [keV]	86.8	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	2_1+	E2	86.79(2)	808(30)	0.0	0_1+	192.6(88)	193.0
$T_{1/2}(\Delta T_{1/2})$	2.026(12)ns							
$\sum I_{tot}(\Delta \sum I_{tot})$	4590(120)							

Table 1.1

$E_{(lev)i}$ [keV]	283.8	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	4_1+	E2	197.03(2)	850(22)	86.8	2_1+	286(17)	272.4
$T_{1/2}(\Delta T_{1/2})$	103(5) ps							
$\sum I_{tot}(\Delta \sum I_{tot})$	1062(28)							

Table 1.2

$E_{(lev)i}$ [keV]	581.1	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	6_1+	E2	297.25(6)	71.6(23)	283.8	4_1+	237(17)	293.5
$T_{1/2}(\Delta T_{1/2})$	18.6(10) ps							
$\sum I_{tot}(\Delta \sum I_{tot})$	76.4(23)							

Table 1.3

$E_{(lev)i}$ [keV]	966.2	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	2_2+	E2	682.34(2)	25.9(8)	283.8	4_1+	0.62(5)	0.45
$T_{1/2}(\Delta T_{1/2})$	1.31(9) ps	E2	879.39(2)	1260(30)	86.8	2_1+	8.52(64)	6.9
$\sum I_{tot}(\Delta \sum I_{tot})$	2345(42)	E2	966.18(2)	1050(30)	0.0	0_1+	4.43(34)	4.5

Table 1.4

$E_{(lev)i}$ [keV]	966.8	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	8_1+	E2,M1	385.68(8)	1.87(19)	581.1	6_1+	361(58)	297.3
$T_{1/2}(\Delta T_{1/2})$	3.43(25) ps							
$\sum I_{tot}(\Delta \sum I_{tot})$	1.9(2)							

Table 1.5

$E_{(lev)i}$ [keV]	1349.8	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	2_3+	(E2)	69.82(5)	<0.1	1280.0	0_2+	<17980	148.0
$T_{1/2}(\Delta T_{1/2})$	1.2(1) ps		~194.0	<0.1	1155.8	4_2+	<108.6	3.2
$\sum I_{tot}(\Delta \sum I_{tot})$	30.5(38)		~300.7	<0.1	1049.1	3_1+	<12.3	6.4
			~383.6	<0.1	966.2	2_2+	<3.6	3.3
		(E2)	1066.0(1)	6(2)	283.8	4_1+	1.3(5)	0.7
		E2+E0	1262.8(2)	10(3)	86.8	2_1+	0.9(3)	0.3
		E2	1349.8(1)	12.3(6)	0.0	0_1+	0.8(1)	0.2

Table 1.6

$E_{(lev)i}$ [keV]	1694.4	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	4_6+		~86.5	<0.1	1607.9	4_5+	<3.7	5.0
$T_{1/2}(\Delta T_{1/2})$	180(35) ps		~87.5	<0.1	1606.9	6_3+	<0.4	1.3
$\sum I_{tot}(\Delta\sum I_{tot})$	3436(60)		~90.6	<0.1	1603.8	4_4+	<0.3	0.9
			~172.0	<0.1	1522.4	4_3+	<0.01	9.8
			~176.0	<0.1	1518.4	2_4+	<0.01	1.0
			~255.8	<0.1	1438.6	6_2+	<0.002	0.4
			~305.0	<0.1	1349.8	2_3+	<0.0007	2.9
		E2	405.70(2)	25.6(6)	1288.7	5_1+	0.041(8)	0.3
		E2	538.54(2)	285(6)	1155.8	4_2+	0.11(2)	0.05
		E2	645.24(3)	1027(26)	1049.1	3_1+	0.16(3)	0.2
		E2	728.17(2)	2062(40)	966.2	2_2+	0.18(4)	0.08
			~1113.3	<0.1	581.1	6_1+	<0.00001	0.0004
		E2,M1	1410.5(3)	10.2(5)	283.8	4_1+	0.00003(1)	0.003
			1607.6(3)	0.75(25)	86.8	2_1+	0.00001(1)	0.0006

Table 2.0

$E_{(lev)i}$ [keV]	1049.1	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	3_1+	M1+E2	82.96(5)	<0.2	966.2	2_2+	<294.0	291.4
$T_{1/2}(\Delta T_{1/2})$		E2	765.30(5)	252(6)	283.8	4_1+	5.6(3)	3.8
$\sum I_{tot}(\Delta\sum I_{tot})$	1387(31)	E2	962.32(2)	1130(30)	86.8	2_1+	7.9(3) ≡	≡7.9

Table 2.1

$E_{(lev)i}$ [keV]	1155.8	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	4_2+	(M1)	106.86(2)	0.10(5)	1049.1	3_1+	91(49)	215
$T_{1/2}(\Delta T_{1/2})$		E2	189.66(3)	1.88(23)	966.2	2_2+	97(2) ≡	≡97
$\sum I_{tot}(\Delta\sum I_{tot})$	521(11)	E2	574.73(5)	4(1)	581.1	6_1+	0.8(3)	1.0
		E2	872.02(2)	351(10)	283.8	4_1+	8.8(19)	8.2
		E2	1069.04(3)	160(4)	86.8	2_1+	1.5(3)	2.4

Table 2.2

$E_{(lev)i}$ [keV]	1280.0	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	0_2+		~313.8	<0.2	966.2	2_2+	<14.2	13.1
$T_{1/2}(\Delta T_{1/2})$		(E2)	1193.17(3)	13.8(6)	86.8	2_1+	1.23(8) ≡	≡1.23
$\sum I_{tot}(\Delta\sum I_{tot})$	13.9(6)							

Table 2.3

$E_{(lev)i}$ [keV]	1288.7	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	5_1+		~132.9	<0.2	1155.8	4_2+	<213.3	150.6
$T_{1/2}(\Delta T_{1/2})$		E2	239.57(7)	2.74(11)	1049.1	3_1+	154(9) ≡	≡154
$\sum I_{tot}(\Delta\sum I_{tot})$	146.2(31)	E2,M1	707.60(2)	27.9(6)	581.1	6_1+	6.95(51)	4.96
		E2,(M1)	1004.86(2)	115(3)	283.8	4_1+	4.96(39)	6.44

Table 2.4

$E_{(lev)i}$ [keV]	1438.6	**σL**	**$E_\gamma(\Delta E_\gamma)$ [keV]**	**$I_\gamma(\Delta I_\gamma)$ [rel. un.]**	**$E_{(lev)f}$ [keV]**	**I_f^π**	**B(E2) [W.u.] Exper.**	**Calc.**
I_i^π	6_2+		~149.9	<0.1	1288.7	5_1+	<321.8	109.7
$T_{1/2}(\Delta T_{1/2})$		E2	282.84(9)	1.39(13)	1155.8	4_2+	187(25) ≡	≡187
$\sum I_{tot}(\Delta \sum I_{tot})$	26.9(51)		~471.8	<0.2	966.8	8_1+	<213.3	150.9
		(E2)	857.6(2)	19(5)	581.1	6_1+	10.0(31)	7.8
		E2	1154.68(9)	6.4(8)	283.8	4_1+	0.76(16)	1.75

Table 2.5

$E_{(lev)i}$ [keV]	1456.7	**σL**	**$E_\gamma(\Delta E_\gamma)$ [keV]**	**$I_\gamma(\Delta I_\gamma)$ [rel. un.]**	**$E_{(lev)f}$ [keV]**	**I_f^π**	**B(E2) [W.u.] Exper.**	**Calc.**
I_i^π	0_3+		~106.9	<0.1	1349.8	2_3+	<15.56	0.02
$T_{1/2}(\Delta T_{1/2})$		E2,M1	490.62(4)	1.5(4)	966.2	2_2+	0.12(3)	15.72
$\sum I_{tot}(\Delta \sum I_{tot})$	41.5(30)	E2	1369.90(4)	40(3)	86.8	2_1+	0.018(2)≡	≡0.018

Table 2.6

$E_{(lev)i}$ [keV]	1518.4	**σL**	**$E_\gamma(\Delta E_\gamma)$ [keV]**	**$I_\gamma(\Delta I_\gamma)$ [rel. un.]**	**$E_{(lev)f}$ [keV]**	**I_f^π**	**B(E2) [W.u.] Exper.**	**Calc.**
I_i^π	2_4+		~61.7	<0.1	1456.7	0_3+	<191.8	137.7
$T_{1/2}(\Delta T_{1/2})$			~168.6	<0.1	1349.8	2_3+	<1.260	0.007
$\sum I_{tot}(\Delta \sum I_{tot})$	50.4(32)		~238.5	<0.1	1280.0	0_2+	<0.223	0.001
			~362.6	<0.2	1155.8	4_2+	<0.055	3.756
			~469.3	<0.2	1049.1	3_1+	<0.015	7.693
			552.36(8)	0.83(14)	966.2	2_2+	0.028(5)	4.104
		E2	1234.60(3)	16.7(4)	283.8	4_1+	0.0104(4) ≡	≡0.0104
		E2,M1	1431.66(3)	26(3)	86.8	2_1+	0.007(1)	0.005
		E2	1518.41(3)	5(1)	0.0	0_1+	0.0011(2)	0.0027

Table 2.7

$E_{(lev)i}$ [keV]	1522.4	**σL**	**$E_\gamma(\Delta E_\gamma)$ [keV]**	**$I_\gamma(\Delta I_\gamma)$ [rel. un.]**	**$E_{(lev)f}$ [keV]**	**I_f^π**	**B(E2) [W.u.] Exper.**	**Calc.**
I_i^π	4_3+		~83.8	<0.1	1438.6	6_2+	<24383.3	2.4
$T_{1/2}(\Delta T_{1/2})$			~172.6	<0.1	1349.8	2_3+	<659.2	207.9
$\sum I_{tot}(\Delta \sum I_{tot})$	3.9(5)		~233.7	<0.2	1288.7	5_1+	<144.7	5.2
			~366.6	<0.1	1155.8	4_2+	<15.2	3.9
			~473.3	<0.1	1049.1	3_1+	<4.2	1.1
			556.23(4)	0.26(6)	966.2	2_2+	4.93	0.07
		E2	941.3(1)	0.5(2)	581.1	6_1+	0.68(39) ≡	≡0.68
			1238.6(2)	1.4(2)	283.8	4_1+	0.49(34)	0.29
			1435.6(1)	1.7(4)	86.8	2_1+	0.28(21)	0.24

Table 2.8

$E_{(lev)i}$ [keV]	1603.8	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	4_4+		~81.4	<0.1	1522.4	4_3+	<6.580	0.0001
$T_{1/2}(\Delta T_{1/2})$			~85.4	<0.1	1518.4	2_4+	<5.183	0.0007
$\sum I_{tot}(\Delta\sum I_{tot})$	4.8(9)		~165.2	<0.1	1438.6	6_2+	<0.191	0.083
			~254.0	<0.1	1349.8	2_3+	<0.022	0.0001
			315.33(21)	0.16(10)	1288.7	5_1+	0.012(15)	0.688
		E2	448.05(9)	1.0(5)	1155.8	4_2+	2.8(2) ≡	≡2.8
		E2,M1	554.59(7)	1.17(14)	1049.1	3_1+	0.005(6)	7.037
			637.8(4)	1.5(5)	966.2	2_2+	0.003(4)	11.688
			1022.6(1)	1.95(25)	581.1	6_1+	0.09(8)	0.0000
		E2	1319.95(25)	1.0(5)	283.8	4_1+	0.013(13)	0.0000
			~1517.0	<0.1	86.8	2_1+	<0.0006	0.0000

Table 2.9

$E_{(lev)i}$ [keV]	1606.9	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	6_3+		~84.5	<0.1	1522.4	4_3+	<6112	222
$T_{1/2}(\Delta T_{1/2})$			~168.3	<0.1	1438.6	6_2+	<194.8	3.8
$\sum I_{tot}(\Delta\sum I_{tot})$	5.1(4)		~318.2	<0.1	1288.7	5_1+	<8.07	1.33
			~451.1	<0.1	1155.8	4_2+	<1.41	0.16
		(E2)	640.1(1)	0.2(1)	966.8	8_1+	0.5(3)	0.7
			1025.76(7)	1.48(15)	581.1	6_1+	0.34(8)	0.29
		E2	1322.86(23)	3.4(4)	283.8	4_1+	0.22(4) ≡	≡0.22

Table 2.10

$E_{(lev)i}$ [keV]	1607.9	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	4_5+	(E2)	85.5(1)	<0.2	1522.4	4_3+	<2825.7	0.2
$T_{1/2}(\Delta T_{1/2})$			~89.5	<0.2	1518.4	2_4+	<2250.7	193.3
$\sum I_{tot}(\Delta\sum I_{tot})$	3.5(8)		~169.3	<0.1	1438.6	6_2+	<46.4	2.8
			~258.1	<0.1	1349.8	2_3+	<5.6	0.0000
		(E2)	319.19(9)	0.31(15)	1288.7	5_1+	6(4) ≡	≡6
		(E2)	452.0(3)	0.33(12)	1155.8	4_2+	1.1(10)	4.8
			558.8(2)	0.65(9)	1049.1	3_1+	0.8(7)	1.4
		(E2)	641.7(1)	1.0(5)	966.2	2_2+	0.6(6)	0.1
			~1026.8	<0.2	581.1	6_1+	<0.011	0.010
			~1324.1	<0.2	283.8	4_1+	<0.003	0.004
			~1521.1	<0.1	86.8	2_1+	<0.001	0.003

Table 2.11

$E_{(lev)i}$ [keV]	1617.3	**σL**	**$E_\gamma(\Delta E_\gamma)$ [keV]**	**$I_\gamma(\Delta I_\gamma)$ [rel. un.]**	**$E_{(lev)f}$ [keV]**	**I_f^π**	**B(E2) [W.u.] Exper.**	**Calc.**
I_i^π	7_1+		~178.7	<0.1	1438.6	6_2+	<758	80
$T_{1/2}(\Delta T_{1/2})$			328.6(1)	2.2(4)	1288.7	5_1+	795(185)	205
$\sum I_{tot}(\Delta \sum I_{tot})$	7.5(6)		650.5(1)	0.6(1)	966.8	8_1+	7.1(16)	5.5
		E2	1036.22(5)	4.7(4)	581.1	6_1+	5.4(7) ≡	≡5.4

Table 2.12

$E_{(lev)i}$ [keV]	1708.2	**σL**	**$E_\gamma(\Delta E_\gamma)$ [keV]**	**$I_\gamma(\Delta I_\gamma)$ [rel. un.]**	**$E_{(lev)f}$ [keV]**	**I_f^π**	**B(E2) [W.u.] Exper.**	**Calc.**
I_i^π	0_4+		~189.8	<0.2	1518.4	2_4+	<0.717	0.011
$T_{1/2}(\Delta T_{1/2})$			~358.4	<0.2	1349.8	2_3+	<0.03	2.22
$\sum I_{tot}(\Delta \sum I_{tot})$	12.7(4)		~742.0	<0.1	966.2	2_2+	<0.0005	0.1495
		E2	1621.36(5)	12.7(4)	86.8	2_1+	0.001(1) ≡	≡0.001

Table 2.13

$E_{(lev)i}$ [keV]	1756.9	**σL**	**$E_\gamma(\Delta E_\gamma)$ [keV]**	**$I_\gamma(\Delta I_\gamma)$ [rel. un.]**	**$E_{(lev)f}$ [keV]**	**I_f^π**	**B(E2) [W.u.] Exper.**	**Calc.**
I_i^π	2_5+		~48.7	<0.1	1708.2	0_4+	<17.1	6.2
$T_{1/2}(\Delta T_{1/2})$			~62.5	<0.1	1694.4	4_6+	<4.9	130.0
$\sum I_{tot}(\Delta \sum I_{tot})$	52.4(2)		~149.0	<0.2	1607.9	4_5+	<0.13	0.35
			~153.1	<0.1	1603.8	4_4+	<0.06	11.88
		E2,M1	234.5(1)	1.0(5)	1522.4	4_3+	0.07(5)	0.53
			~238.4	<0.1	1518.4	2_4+	<0.006	4.289
			~300.2	<0.2	1456.7	0_3+	<0.004	2.399
			~407.1	<0.1	1349.8	2_3+	<0.0004	8.4126
			~476.9	<0.1	1280.0	0_2+	<0.0002	5.4849
			~601.1	<0.2	1155.8	4_2+	<0.0001	0.2626
			~707.8	<1.0	1049.1	3_1+	<0.0003	0.5650
			~790.7	<0.2	966.2	2_2+	<0.000001	0.2769
		E2	1473.06(3)	29.7(6)	283.8	4_1+	0.0002(1)≡	≡0.0002
		E2	1670.1(1)	14(2)	86.8	2_1+	0.00010(5)	0.0025
			~1756.9	<0.1	0.0	0_1+	<0.000001	0.0015

Table 2.14

$E_{(lev)i}$ [keV]	1802.2	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	5_2+		~81.8	<0.1	1720.4	6_4+	<267.6	273.2
$T_{1/2}(\Delta T_{1/2})$		M1+E2	107.87(2)	12.2(2)	1694.4	4_6+	8205(336)	3.98
$\sum I_{tot}(\Delta\sum I_{tot})$	495(25)		~184.9	<0.1	1617.3	7_1+	<4.541	0.224
			~194.3	<0.1	1607.9	4_5+	<3.544	0.007
			~195.3	<0.1	1606.9	6_3+	<3.4540	0.0003
			~198.5	<0.2	1603.8	4_4+	<6.4	221.4
		E2	279.76(15)	0.4(2)	1522.4	4_3+	2.3(12)	0.0006
		E2,M1	363.66(3)	7.73(2)	1438.6	6_2+	11.9(6)	1.5
		E2	513.51(4)	80(3)	1288.7	5_1+	8.3(9)	4.6
		E2	646.40(8)	176(24)	1155.8	4_2+	15.3(22)	8.1
		E2	753.11(2)	184(4)	1049.1	3_1+	7.46(23) ≡	≡7.46
		E2,M1	1221.21(5)	2.8(3)	581.1	6_1+	0.010(1)	0.0000
		E2	1518.41(3)	4.5(3)	283.8	4_1+	0.005(1)	0.0000

Table 2.15

$E_{(lev)i}$ [keV]	1869.5	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	2_6+		~112.7	<0.1	1756.9	2_5+	<0.58	7.86
$T_{1/2}(\Delta T_{1/2})$			~161.3	<0.1	1708.2	0_4+	<0.095	108.248
$\sum I_{tot}(\Delta\sum I_{tot})$	36.5(13)		~175.2	<0.1	1694.4	4_6+	<0.64	7.578
			~261.6	<0.1	1607.9	4_5+	<0.0086	0.0032
			~265.8	<0.1	1603.8	4_4+	<0.0079	0.0002
			~347.1	<0.1	1522.4	4_3+	<0.0021	1.2948
			~351.1	<0.1	1518.4	2_4+	<0.0020	0.0086
			~412.8	<0.1	1456.7	0_3+	<0.0009	0.0020
			~519.7	<0.5	1349.8	2_3+	<0.0014	0.5669
			~589.6	<0.1	1280.0	0_2+	<0.0001	0.3491
			~713.7	<0.1	1155.8	4_2+	<0.0001	0.0351
			820.4	0.96(9)	1049.1	3_1+	0.0003(3)	0.0721
			~903.4	<0.3	966.2	2_2+	<0.0001	0.0382
		E2	1585.6(2)	1.5(3)	283.8	4_1+	0.00001(1)	0.0002
		E2	1782.73(4)	17.1(7)	86.8	2_1+	0.0001(1) ≡	≡0.0001
		E2,M1	1869.55(6)	7.1(3)	0.0	0_1+	0.00000	0.00000

Table 2.16

$E_{(lev)i}$ [keV]	1903.2	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.]	
							Exper.	Calc.
I_i^π	3_2+		~33.6	<0.1	1869.5	2_6+	<10544.2	11.8
$T_{1/2}(\Delta T_{1/2})$			~101.0	<0.1	1802.2	5_2+	<43.39	7.61
$\sum I_{tot}(\Delta \sum I_{tot})$	25.4(8)		~146.3	<0.1	1756.9	2_5+	<6.78	217.51
			~208.8	<0.1	1694.4	4_6+	<1.14	205.09
			~295.3	<0.1	1607.9	4_5+	<020	2.78
			~299.4	<0.3	1603.8	4_4+	<0.57	4.13
			~380.8	<0.2	1522.4	4_3+	<0.11	4.66
			~384.8	<0.1	1518.4	2_4+	<0.054	4.188
			~553.4	<0.2	1349.8	2_3+	<0.018	9.573
			~614.5	<0.2	1288.7	5_1+	<0.0104	0.3958
			~747.4	<0.5	1155.8	4_2+	<0.0098	0.3917
			~937.0	<0.1	966.2	2_2+	<0.0006	0.3114
		E2	1619.36(8)	7.5(5)	283.8	4_1+	0.0031(2)	0.0015
		E2	1816.39(3)	11.3(3)	86.8	2_1+	0.0026(1) ≡	≡0.0026

Table 2.17

$E_{(lev)i}$ [keV]	1929.2	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.]	
							Exper.	Calc.
I_i^π	6_5+	M1+E2	126.94(2)	2.18(8)	1802.2	5_2+	787(64)	0.0034
$T_{1/2}(\Delta T_{1/2})$			~128.0	<0.1	1801.2	8_2+	<34.64	2.66
$\sum I_{tot}(\Delta \sum I_{tot})$	28.9(23)		~208.8	<0.1	1720.4	6_4+	<3.00	0.02
		E2,M1	234.81(6)	1.0(5)	1694.4	4_6+	16.67(842)	0.63
		E2+(M1)	311.90(6)	0.91(7)	1617.3	7_1+	3.67(283)	5.33
			~321.3	<0.1	1607.9	4_5+	<0.35	206.55
			~322.3	<0.1	1606.9	6_3+	<0.34	0.06
			~325.4	<0.1	1603.8	4_4+	<0.326	0.0001
			~406.8	<0.2	1522.4	4_3+	<0.0214	0.0016
		E2,M1	490.62(4)	5(1)	1438.6	6_2+	2.09(45)	4.56
		(E2)	640.61(6)	9(2)	1288.7	5_1+	0.99(23)	1.80
		E2	773.37(8)	5.75(24)	1155.8	4_2+	0.25(1)≡	≡0.25
			~962.4	<0.1	966.8	8_1+	<0.001	0.011
			1348.1(1)	1.5(4)	581.1	6_1+	0.004(1)	0.004
			~1645.4	<0.1	283.8	4_1+	<0.0001	0.0027

Table 2.18

$E_{(lev)i}$ [keV]	2194.4	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	5_3+		~120.2	<0.05	2074.2	7_2+	<55.1	4.74
$T_{1/2}(\Delta T_{1/2})$			~265.2	<0.2	1929.2	6_5+	<4.22	3.80
$\sum I_{tot}(\Delta\sum I_{tot})$	19.7(8)		~291.2	<0.1	1903.2	3_2+	<1.32	113.66
			~392.2	<1.0	1802.2	5_2+	<2.98	1.54
			~474.0	<0.2	1720.4	6_4+	<0.23	4.89
			~500.1	<0.1	1694.4	4_6+	<0.089	110.99
			~577.1	<0.2	1617.3	7_1+	<0.087	0.515
			~586.5	<0.1	1607.9	4_5+	<0.04	2.95
			~587.5	<0.1	1606.9	6_3+	<0.04	5.98
			~590.7	<0.1	1603.8	4_4+	<0.038	0.128
			~672.0	<0.2	1522.4	4_3+	<0.04	7.65
			755.6(3)	0.3(1)	1438.6	6_2+	0.034(12)	0.200
		(E2)	905.76(16)	5.2(4)	1288.7	5_1+	0.236(36)	0.092
		E2	1038.59(4)	6.7(5)	1155.8	4_2+	0.154(16)≡	≡0.154
		E2,M1	1145.33(4)	5.4(2)	1049.1	3_1+	0.076(10)	0.120
			~1613.4	<0.1	581.1	6_1+	<0.0003	0.0019
			1910.58(6)	0.79(9)	283.8	4_1+	0.0009(1)	0.0019

Table 2.19

$E_{(lev)i}$ [keV]	3098.9	σL	$E_\gamma(\Delta E_\gamma)$ [keV]	$I_\gamma(\Delta I_\gamma)$ [rel. un.]	$E_{(lev)f}$ [keV]	I_f^π	B(E2) [W.u.] Exper.	Calc.
I_i^π	6_6+		~1120.6	<0.1	1978.3	8_3+	<0.024(4)	1.909
$T_{1/2}(\Delta T_{1/2})$			~417.0	<0.1	2681.9	5_4+	<3.2890	0.0000
$\sum I_{tot}(\Delta\sum I_{tot})$	6.8(6)		~904.5	<1.0	2194.4	5_3+	<0.685	79.735
			~1024.7	<01	2074.2	7_2+	<0.037	4.713
			~1169.7	<0.1	1929.2	6_5+	<0.019	4.752
			~1296.7	<0.1	1802.2	5_2+	<0.011	0.257
		E2	1297.66(18)	0.5(2)	1801.2	8_2+	0.056(24)	0.490
			1378.4(3)	0.8(3)	1720.4	6_4+	0.067(27)	1.851
			~1404.5	<0.1	1694.4	4_6+	<0.008	137.009
		E2	1481.9(2)	3.4(3)	1617.3	7_1+	0.197≡	≡0.197
			~1491.0	<0.1	1607.9	4_5+	<0.006	0.487
			~1492.0	<0.1	1606.9	6_3+	<0.006	9.276
			~1495.1	<0.1	1603.8	4_4+	<0.006	0.0076
			~1576.5	<0.3	1522.4	4_3+	<0.013	2.083
			~1660.3	<0.1	1438.6	6_2+	<0.003	0.170
			~1810.2	<0.1	1288.7	5_1+	<0.002	0.089
			~1943.1	<0.1	1155.8	4_2+	<0.002	0.121
			2132.1(3)	0.5(1)	966.8	8_1+	0.0047(12)	0.0005
			2518.7(9)	0.7(2)	581.1	6_1+	0.0029(9)	0.0029
			~2815.1	<0.1	283.8	4_1+	<0.0002	0.0003